

Effective healthcare for people experiencing homelessness

12.06.2018

Rob Schafer, GP, Luther Street Medical Centre, Oxford
Hon Snr Clinical Lecturer, University Of Oxford

Content © Rob Schafer 2018

Alcohol

Poor
emotional
regulation /
impulse
control

Challenging
Behaviour

Inability to
keep stable
relationships

IV drug
misuse

Long Term Homelessness

Inability to
keep
housing

=

Personality Disorder


NPS

Physical
conse-
quences

Mental
conse-
quences

Neglected
Chronic
Disease






Effective healthcare for people
experiencing homelessness

=

Accessible

- + Recognisable primary care set-up
 - + Skilled GP team
 - + Protected Time



Safety
-Patient
-Staff

Stabilise
-patient
-notes

Reduce
ED
attendance
and failed
discharges

Allows
inreach
e.g. Public
Health

Accurate
assessment
for housing

Keep
Alive

Outcomes
cut across multiple
aspects of
health and social care
(but are hard to measure)

Accurate
Formulation

Recovery

Harm
Min

Palliative
Care



1. Long Term Homelessness

=

Personality Disorder
(mostly)

2. Effective healthcare for people
experiencing homelessness


=

Accessible

- + Recognisable primary care set-up
 - + Skilled GP team
 - + Protected Time

3. Outcomes
cut across multiple
aspects of
health and social care
(but are hard to measure)

Drugs
□





'Alcoholism',
the strength
and courage
of abstinence
25.5.08
Riley

Thank you

robin.schafer@nhs.net